

### Meiosis

- Anderson, L.K. G.D. Doyle, B. Brigham, J. Carter, K.D. Hooker, A. Lai, M. Rice, and S.M. Stack. 2003. High-resolution crossover maps for each bivalent of *Zea mays* using recombination nodules. *Genetics* 165:849-865.
- Aragón-Alcaide, L., S.M. Reader, P.J. Shaw, A.F. Beven, T.E. Miller, and G. Moore. 1997. Association of homologous chromosomes during floral development. *Curr.Biol.* 7:905-908.
- Barakate A, M Arrieta, M Maccaulay, S Vivera, D Davidson, J Stephens, J Orr, M Schreiber, L Ramsay, C Halpin and R Waugh. 2021. Downregulation of barley *Regulator of Telomere Elongation Helicase 1* alters the distribution of meiotic crossovers. *Frontiers in Plant Science*, 12: <https://doi.org/10.3389/fpls.2021.745070>
- Barth, S., A.E. Melchinger, B.Devezi-Savula, T. Lübbertedt. 2000. A high-through-put system for genome-wide measurement of genetic recombination in *Arabidopsis thaliana* based on transgenic markers. *Funct. Integr. Genomics.* 1:200-206.
- Beadle, G.W. 1930. Genetical and cytological studies of mendelian asynapsis in *Zea mays*. Cornell Univ. Agric. Exp. Stn. Memoirs 129:3-23. (S95.E2C814M)
- Beadle, G.W. 1932. The relation of crossing-over to chromosome association in *Zea euclaena* hybrids. *Genetics* 17:481-501. (QH431.G328)
- Belling, J. 1931. Chiasmata in flowering plants. *Univ. Calif. Publ. Bot.* 16:311-338. (QK1.C153b)
- Belling J. 1933. Crossing over and gene rearrangement in flowering plants. *Genetics* 18:388-413.
- Belling J and AF Blakeslee. 1927. The assortment of chromosomes in haploid Daturas. *Cellule* 37: 355-361.
- Bhatt, A.M., C. Canales, and H.G. Dickinson. 2001. Plant meiosis: the means to 1n. *Trends in Plant Sci.* 6:114-121.
- Brown, S.W., and D. Zohary. 1955. The relationship of chiasmata and crossing over in *Lilium formosum*. *Genetics* 40:850-873. (QH431.G328)
- Burnham, C.R. 1950. Chromosome segregation in translocations involving chromosome 6 in maize. *Genetics* 35:446-481.(QH431.G328)
- Chang, C.C., and G.Y. Kikudome. 1974. The interaction of knobs and B chromosomes of maize in determining the level of recombination. *Genetics* 77:45-54. (QH431.G328)
- Chen, Y., L. Zhang, Y. Geng, and Z. Chen. 2001. Meiosis-like reduction during somatic embryogenesis of *Arabidopsis thaliana*. *In Vitro Cell. Dev. Biol - Plant.* 37:654-657.
- Coe, E. and L.B. Kass. 2005. Proof of physical exchange of genes on the chromosomes. *Proc. Natl. Acad. Sci. USA.* 102:6641-6646.
- Copenhaver, G.P., W.E. Browne, and D. Preuss. 1998. Assaying genome-wide recombination and centromere functions with *Arabidopsis* tetrads. *Proc. Natl. Acad. Sci. USA* 95:247-252. (Q11.N275)
- Copenhaver, G.P., K.C. Keith, and D. Preuss. 2000. Tetrad analysis in higher plants. A

- budding technology. *Plant Physiol.* 124:7-15.
- Creighton, H.B., and B. McClintock. 1931. A correlation of cytological and genetical crossing-over in *Zea mays*. *PNAS* 17:492-497. (Q11.N276)
- Crow JF 1988. A diamond anniversary: the first chromosome map. *Genetics* 118: 1-3.
- Darlington, C.D. 1930. A cytological demonstration of "genetic" crossing-over. *Proc. R. Soc. London* 107:50-59
- Darlington, C.D. 1940. The prime variables of meiosis. *Biol. Rev.* 15:307-322. (N/A)
- de Vicente, M.C. and S.D. Tanksley. 1991. Genome-wide reduction in recombination of backcross progeny derived from male vs. female gametes in an interspecific cross of tomato. *Theor. Appl. Genet.* 83:173-178. (SB123.Z8)
- Dooner HK and L He. 2008. Maize genome structure variation: Interplay between retrotransposon polymorphisms and genetic recombination. *Plant Cell* 20:249-258.
- Fengler K, SM Allen, B Li, and A Rafalski. 2007. Distribution of genes, recombination, and repetitive elements in the maize genome. *Crop Sci* 47(S2):S83-S95.
- Francis KE, SY Lam, BD Harrison, AL Bey, LE Berchowitz, and GP Copenhaver. 2007. Pollen tetrad-based visual assay for meiotic recombination in *Arabidopsis*. *PNAS* 104:3913-3918.
- Frease E. 1957. The correlation effect for a histidine locus in *Neurospora crassa*. *Genetics* 42:671-687
- Gaut BS, SI Wright, C Rizzon, J Dvorak and LK Anderson. 2007. Recombination: An underappreciated factor in the evolution of plant genomes. *Nat. Rev. Genet* 8: 77-84.
- Gerton, J.L. and R.S. Hawley. 2005. Homologous chromosome interactions in meiosis: Diversity amidst conservation. *Nature Reviews* 6:477-487.
- Giraut L, M Falque, J Drouaud, L Pereira, OC Martin & C Mézard. 2011 Genome-wide crossover distribution in *Arabidopsis thaliana* meiosis reveals sex-specific patterns along chromosomes. *PLoS Genet* 7:e1002354.
- Golubovskaya, I.N. 1979. Genetic control of meiosis. *Int. Rev. Cytol.* 58:248-290. (missing from library)
- Gottschalk, W., and M.L.H. Kaul. 1980. Asynapsis and desynapsis in flowering plants. I. Asynapsis. *The Nucleus* 23:1-15.
- Gottschalk, W., and M.L.H. Kaul. 1980. Asynapsis and desynapsis in flowering plants. II. Desynapsis. *The Nucleus* 23:97-120.
- Granata, L. 1910. Le cinesi spermatogenetiche di *Pamphagus marmota* (Burm). *Arch. F. Zellf.* 5: 182-214.
- Haldane JBS. 1919. The combination of linkage values, and the calculation of distance between linked factors, *Journal of Genetics* 8: 299–309.
- Harman, O.S. 2005. Cyril Dean Darlington: the man who 'invented' the chromosome. *Nature Reviews Genetics* 6: 79–85
- Jackson, R.C. and R.G. Jordan. 1975. Haploidy in *Haplopappus gracilis* (n=2). *Am. J. Bot.* 62:628-632. (QK1.A512)

- Janssens FA. 1909. La théorie de la Chiasmatype. Nouvelle interprétation des cinèses de maturation (The chiasmatype theory. A new interpretation of the maturation divisions.) Cellule 25: 389–411. Reprinted in Genetics 191: 319–346
- Jiang, J., B. Friebe, and B.S. Gill. 1994. Recent advances in alien gene transfer in wheat. Euphytica. 75:199-212I. (SB123.E89)
- Jones JN. 2005. McClintock's controlling elements: the full story. Cytogenet Genome Res 109:90-103.
- Knox, M.R. and T.H.N. Ellis. 2002. Excess heterozygosity contributes to genetic map expansion in pea recombinant inbred populations. Genetics 162:861-873.
- Kosambi DD. 1944. The estimation of map distance from recombination values. Annals of Eugenics, 12: 172–175.
- Koszul R, M Meselson, K Van Doninck, J Vandenhaute, and D Zickler. 2012. The centenary of Janssen's chiasmatype theory. Genetics. 191: 309-317.
- Koul, K.K., and R. Nagpal. 2002. Sex incidences of chiasmata variation in respect of position, distribution and frequency in some important legumes and grasses. Caryologia 55:251-261.
- Liharska, T., Koornneef, M., Wordragen, M.V., Kammen, A.V. and Zabel, P. (1996) Tomato chromosome 6: effect of alien chromosomal segments on recombinant frequencies. Genome, 39: 485-491.
- Lloyd A. 2022. Crossover patterning in plants. Plant Reproduction. <https://doi.org/10.1007/s00497-022-00445-4>
- Lucchesi, J.C. and D.T. Suzuki. 1968. The interchromosomal control of recombination. Ann. Rev. Gen. 2:53-86. (QH431.A1A54)
- Lukaszewski, A. 1997. The development and meiotic behavior of asymmetrical isochromosomes in wheat. Genetics 145:1155-1160. (QH301.G328)
- Luo C., Li X., Zhang Q., and Yan J. 2019. Single gametophyte sequencing reveals that crossover events differ between sexes in maize. Nat. Comm. 10: 765.
- Ma, H. 2005. Molecular genetic analyses of microsporogenesis and microgametogenesis in flowering plants. Annu. Rev. Plant Biol. 56:393-434.
- Maguire, M.P. 1995. Is the synaptonemal complex a disjunction machine? J. Hered. 86:330-340. (S494.J861)
- Mather K. 1934. Interlocking as a demonstration of the occurrence of genetical crossing-over during chiasma formation. The American Naturalist 67: 476-479
- McClintock, B. 1933. The association of non-homologous parts of chromosomes in the mid prophase of *Zea mays*. Zeitschr. Zeillforsch. Mikr. Anat. 19:191-237. (QH301.Z4)
- Mercier, R., Mézard, C., Jenczewski, E., Macaisne, N. and Grelon, M. 2015. The molecular biology of meiosis in plants. Annu. Rev. Plant Biol. 66, 297–327
- Mieulet D, G Aubert, C Bres, A Klein, G Droc, E Vielle, C Rond-Coissieux, M Sanchez, M Dalmais, J-P Mauxion, C Rothan, E Guiderdoni & R Mercier. 2018. Unleashing meiotic crossovers in crops. Nature Plants 4: 1010–1016. <https://doi.org/10.1038/s41477-018-0580-0>

018-0311-x

- Moore, G. 1998. To pair or not to pair: chromosome pairing and evolution. *Curr.Op.Plant Biol.* 1:116-122. (N/A)
- Nuti Ronchi, V., L. Giorgetti, M. Tonelli, and G. Martini. 1992. Ploidy reduction and genome segregation in cultured carrot cell lines. II. Somatic meiosis. *Plant Cell Tissue Organ Cult.* 30:115-119. (S589.85.P52)
- Patterson, G.I., K.M. Kubo, T. Shroyer, and V.L. Chandler. 1995. Sequences required for paramutation of the maize *b* gene map to a region containing the promoter and upstream sequences. *Genetics* 140:1389-1406. (QH431.G328)
- Rees, H. 1961. Genotype control chromosome form and behaviour. *Bot. Rev.* 27:288-318.
- Rees, H. and A. Durrant. 1986. Recombination and genome size. *Theor. Appl. Genet.* 73:72-76. (SB123.Z8)
- Rees, H. and J.B. Thompson. 1956. Genotypic control of chromosome behaviour in rye. III. Chiasma frequency in homozygotes and heterozygotes. *Heredity* 10:409-424. (QH431.C21)
- Rhoades, M.M. 1961. Meiosis. *Cell* 3:1-16. (QH573.C38)
- Riley, R., V. Chapman, and R. Johnson. 1968. The incorporation of alien disease resistance in wheat by genetic interference with the regulation of meiotic chromosome synapsis. *Genet. Res.* 12:199-219. (QH431.G32)
- Säll, T. and N.O. Nilsson. 1994. Crossover distribution in barley analysed through RFLP linkage data. *Theor. Appl. Genet.* 89:211-216. (SB123.Z8)
- Sax, K. 1932. The cytological mechanism for crossing over, Proc 6th International Congress of Genetics. pp 256-273.
- Sepsi A & T Schwartzacher. 2020. Chromosome–nuclear envelope tethering – a process that orchestrates homologue pairing during plant meiosis? *Journal of Cell Science*, 133: jcs243667
- Schnable, P.S., A.-P. Hsia, and B.J. Nikolau. 1998. Genetic recombination in plants. *Curr. Op. Plant Biol.* 1:123-129.
- Schwartz D. 1953. Evidence for sister-strand crossing over in maize. *Genetics*, 38(3): 251-260.
- Sharp, L. W. 1934. Introduction to cytology. 3rd ed. New York (McGraw-Hill)
- Shaw, P., and G. Moore. 1998. Meiosis: vive la difference! *Curr. Op. Plant Biol.* 1:458-462.
- Sherman, J.D. and S.M. Stack. 1995. Two-dimensional spread of synaptonemal complexes from solanaceous plants. VI. High-resolution recombination nodule map for tomato (*Lycopersicon esculentum*). *Genetics* 141:683-708. (QH431.G328)
- Singh, M., S Goel, R.B. Meeley, C. Dantec, H. Parrinello, C. Michaud, O. Leblanc and D. Grimanelli. 2011. Production of viable gametes without meiosis in maize deficient for chromatin methylation. *Plant Cell* 23:443-458.
- Stack S.M., Shearer L.A., Lohmiller L., and Anderson L.K. 2017. Meiotic crossing over in maize knob heterochromatin. *Genetics*. 205(3): 1101-1112.

- Sun Y, JH Ambrose, BS Haughey, TD Webster, SN Pierrie, DF Munoz, et al. 2012. Deep genome-wide measurement of meiotic gene conversion using tetrad analysis in *Arabidopsis thaliana*. PLoS Genet. 8:e1002968. doi: 10.1371/journal.pgen.1002968
- Vinod KK. 2011. Kosambi and the genetic mapping function. Resonance. June: 540-
- Williams, C.G., M.M. Goodman, and C.W. Stuber. 1995. Comparative recombination distances among *Zea mays* L. inbreds, wide crosses and interspecific hybrids. Genetics 141:1573-1581. (QH431.G328)
- Wijnker E, GV James, J Ding, F Becker, JR Klasen, V Rawat, BA Rowan, DF de Jong, CB de Snoo, L Zapata, B Huettel, H de Jong, S Ossowski, D Weigel, M Koornneef, JJB Keurentjes & K Schneeberger. 2013. The genomic landscape of meiotic crossovers and gene conversions in *Arabidopsis thaliana*. eLife. 2:e01426. DOI: 10.7554/eLife.01426
- Yang S, Y Yuan, L Wang, J Li, W Wang, H Liu, J-Q Chen, LD Hurst and D Tian. 2012. Great majority of recombination events in *Arabidopsis* are gene conversion events. PNAS 109:20992-20997.
- Yao, H., Q. Zhou, J. Li, H. Smith, M. Yandeau, B.J. Nikolau, and P.S. Schnable. 2002. Molecular characterization of meiotic recombination across the 140-kb multigenic *a1-sh2* interval of maize. PNAS 99:6157-6162.
- Yelina NE, C Lambing, TJ Hardcastle, XH Zhao, B Santos, and IR Henderson. 2015. DNA methylation epigenetically silences crossover hot spots and controls chromosomal domains of meiotic recombination in *Arabidopsis*. Genes & Development 29: 2183-2202.
- Young ND and SD Tanksley. 1989. RFLP analysis of the size of chromosomal segments retained around the Tm-2 locus of tomato during backcross breeding. Theor. Appl. Genet. 77:353-359.
- Zickler D & N Kleckner, 1999. Meiotic chromosomes: Integrating structure and function. Annual Review of Genetics 33: 603-704.

### Altering cross overs

- Bennett, M.D. and H. Rees. 1970. Induced variation in chiasma frequency in rye in response to phosphate treatments. Genet. Res. Camb. 16:325-331.
- Boideau F, V Hueau, L Maillet, A Brunet, O Coriton, G Denoit, G Trotoux, M Taburel-Lodé, F Eber, M Gilet, C Baron, J Boutte, G Richard, J-M Aury, C Belser, K Labadie, J Morice, C Falentin, O Martin, M Falque, A-M Chèvre & M Rousseau-Gueutin. 2024. The Plant Cell, 36(10): 4472–4490. Doi.org/10.1093/plcell/koae208
- Capilla-Pérez L, V Solier, E Gibault, Q Lian, M Goel, B Huettel, JJB Keurentjes, O Loudet & R. Mercier. 2024. Enhanced recombination empowers the detection and mapping of Quantitative Trait Loci. Communications Biology, 7: 829. doi.org/10.1038/s42003-024-06530-w
- Crismani W, C Girard, N Froger, M Pradillo, JL Santos, L Chelysheva, GP Copenhaver, C Harlow and R Mercier. 2012. FANCM limits meiotic crossovers. Science 336: 1588-

1590.

- Esch E, JM Szymaniak, H Yates, WP Pawlowski, and ES Buckler (2007). Using crossover breakpoints in recombinant inbred lines to identify quantitative trait loci controlling the global recombination frequency. *Genetics* 177: 1851–1858.
- Ji YF, DM Stelly, M de Donato, MM Goodman & CG Williams. 1999. A candidate recombination modifier gene for *Zea mays* L. *Genetics* 151: 821-830.
- Kouranov A, C Armstrong, A Shrawat, V Sidorov, S Huesgen, B Lemke, T Boyle, M Gasper, R Lawrence & S Yang. 2022. Demonstration of targeted crossovers in hybrid maize using CRISPR technology. *Communications Biology* 5: 53.
- Kuo P, O Da Ines, & C Lambing. 2021. Rewiring meiosis for crop improvement. *Frontiers in Plant Science* 12: <https://doi.org/10.3389/fpls.2021.708948>
- Lambing C, F.C.H. Franklin, & C-J. R.W. Wang. 2017. Understanding and manipulating meiotic recombination in plants. *Plant Physiology* 173(3): 1530-1542. doi.org/10.1104/pp.16.01530.
- Riley, R., and C.N. Law. 1965. Genetic variation in chromosome pairing. *Adv. Gen.* 13:57-114. (QH.A244)
- Robbins, T.P., A.G.M. Gerats, H. Fiske, and R.A. Jorgensen. 1995. Suppression of recombination in wide hybrids of *Petunia hybrida* as revealed by genetic mapping of marker transgenes. *Theor. Appl. Genet.* 90:957-968. (SB123.Z8)
- Robert, N., E. Farcy, and A. Cornu. 1991. Genetic control of meiotic recombination in *Petunia hybrida*: dosage effect of gene *Rm1* on segments *Hf1-Lg1* and *An2-Rt*; role of modifiers. *Genome* 34:515-523. (QH431.C21)
- Ru S. and Bernardo R. 2019. Targeted recombination to increase genetic gain in self-pollinated species. *Theor. Appl. Genet.* 132(2): 289-300.
- Säll, T. 1990. Genetic control of recombination in barley. II. Variation in linkage between marker genes. *Hereditas*. 112:171-178.
- Sanchez-Moran, E., S.J. Armstrong, J.L. Santos, F.C.H. Franklin, and G.H. Jones. 2002. Variation in chiasma frequency among eight accessions of *Arabidopsis thaliana*. *Genetics* 162:1415-1422.
- Serra H, C Lambing, CH Griffin & IR Henderson. 2018. Massive crossover elevation via combination of *HEI10* and *recq4a recq4b* during *Arabidopsis* meiosis. *PNAS* 115(10): 2437-2442.
- Sinha RP and SB Helgason. 1969. The action of actinomycin D and diepoxybutane on recombination of two closely linked loci in *Hordeum*. *Can J Genet Cytol* 11:745–751.
- Taagen E, AJ Bogdonove & ME Sorrells. 2002. Counting on crossovers: controlled recombination for plant breeding. *Trends in Plant Science*. 25: 455-465.
- Taagen E, K Jordan, E Akhunov, ME Sorrells & J-L Jannik. 2022. If it ain't broke, don't fix it: Evaluating the effect of increased recombination response to selection for wheat breeding. *G3 Genes|Genomes|Genetics* 12(12): <https://doi.org/10.1093/g3journal/jkac291>

- Tourrette E, R Bernardo, M Falque & OC Martin. 2019. Assessing by modelling the consequences of increased recombination in recurrent selection of *Oryza sativa* and *Brassica rapa*. G3: Genes, Genomes, Genetics, 9: 4169-4181.
- Wijner E and H de Jong. 2008. Managing meiotic recombination in plant breeding. Trends Plant Sci 13:640-646.
- Yanagira,S., H. Ikehashi, H. Araki, and K. Maruyatma. 1992. Difference in recombination between chromogen (*C*) and waxy (*wx*) genes in japonica and indica rice (*Oryza sativa* L.) by using japonica lines with a wide compatibility gene (*S-5<sup>n</sup>*). Japan. J. Breed. 42:15-21. (not on campus)
- Zou M, S Shabala, C Zhao & M Zhou. 2024. Molecular mechanisms and regulation of recombination frequency and distribution in plants. Theoretical and Applied Genetics, 137: 86. <https://doi.org/10.1007/s00122-024-04590-4>

### Micro- & megasporogenesis and gametogenesis

- Dumas, C., F. Berger, JE Faure, and E. Matthys-Rochon. 1998. Gametes, fertilization and early embryogenesis in flowering plants. Adv. Bot. Res. 28:231-261.
- Furness, C.A., P.J. Rudall, and F.B. Sampson. 2002. Evolution of microsporogenesis in higher plants. Int. J. Plant Sci. 163:235-260.
- Gottschalk, W., and M.L.H. Kaul. 1974. The genetic control of microsporogenesis in higher plants. The Nucleus 17:133-166. (N/A)
- Kaul, V., C.H. Theunis, B.F. Palser, R.B. Knox, and E.G. Williams. 1987. Association of the generative cell and vegetative nucleus in pollen tubes of *Rhododendron*. Ann. Bot. 59:227-235. (QK1.A613)
- Maheshwari PA. 1937. A critical review of the types of embryo sacs in angiosperms. New Phytologist. 26: 359-417
- Maheshwari P. 1950. Introduction to Embryology of Angiosperms. McGraw-Hill, New York. (QK665.M2214i)
- Mogensen, H.L. 1992. The male germ unit: concept, composition, and significance. Int. Rev. Cytol. 140:129-147.
- Walker, R.I. 1955. Cytological and embryological studies in *Solanum*, section Tuberarium. Bulletin of the Torrey Botanical Club. 82: 87-101.
- Yadegari R & GN Drews. 2004. Female gametophyte development. Plant Cell, 16: S133-S141

### 2n gametes

- Aboobucker SI, L Zhou & T Lüberstedt. 2023. Haploid male fertility is restored by *parallel spindle* genes in *Arabidopsis thaliana*. Nature Plants, doi.org/10.1038/s41477-022-01332-6
- Andreuzza S and I Siddiqui. 2008. Spindle positioning, meiotic nonreduction, and polyploidy in plants. PLOS Genetics 4: e1000272

- Blakeslee AF and AG Avery. 1937. Methods of inducing doubling of chromosomes in plants. *Heredity* 28: 393-411. doi.org/10.1093/oxfordjournals.jhered.a104294
- Bretagnolle, F. and J.D. Thompson. 1995. Gametes with the somatic chromosome number: mechanisms of their formation and role in the evolution of autopolyploid plants. *New Phytol.* 129:1-22. (QK1.N532)
- Brownfield L and C Köhler. 2011. Unreduced gamete formation in plants: mechanisms and prospects. *J Experimental Botany.* 62:2659-1668.
- Cigliano, R.A., W. Sanseverino, G. Cremona, F.M. Consiglio, and C. Conicella. 2011. Evolution of Parallel Spindles Like genes in plants and highlight of unique domain architecture. *BMC Evolutionary Biology* 11:78
- Cuenca, J., Aleza, P., Juárez, J. et al. Maximum-likelihood method identifies meiotic restitution mechanism from heterozygosity transmission of centromeric loci: application in citrus. *Sci Rep* 5, 9897 (2015). https://doi.org/10.1038/srep09897
- de Storme , N. and D. Geelen. 2011. The arabidopsis mutant *jason* produces unreduced first division restitution male gametes through a parallel/fused spindle mechanism. *Plant Physiology* 155: 1403-1405.
- de Storme , N. and D. Geelen. 2013. Sexual polyploidization in plants – cytological mechanisms and molecular regulation. *New Phytologist* 198:670-684.
- den Nijs, T.P.M. and S.J. Peloquin. 1977. Polyploid evolution via 2n gametes. *Am. Potato J.* 54:377-386. (SB211.P8A5)
- d'Erfurth, I., S. Jolivet, N. Froger, O. Catrice, M. Novatchkova, M. Simon, E. Jenczewski, and R. Mercier. 2008. Mutations in AtPS1 (*Arabidopsis thaliana Parallel Spindle 1*) lead to the production of diploid pollen grains. *PloS Genet* 4:e1000274.
- Hermsen, J.G.T. 1984. Mechanisms and genetic implications of 2n-gamete formation. *Iowa St. J. Res.* 58:421-434. (Q1.I641)
- Erilova A, L Brownfield, V Exner, M Rosa, D Twell, OM Scheid, L Henning, & C Köhler. 2009. Imprinting of the polycomb group gene MEDEA serves as a ploidy sensor in arabidopsis. *PLoS Genetics* 5(9): e1000663
- Dijkstra J & GJ Speckmann. 1965. Germinal pore number in pollen grains as a selection basis in the production of tetraploid clover. *Euphytica.* 14: 244-248.
- Ferris C, RS Callow & AJ Gray. 1992. Mixed first and second division restitution in male meiosis of *Hierochloe odorata* (L.) Beauv (Holy Grass). *Heredity* 69: 21-31.
- Hermsen, J.G.T. 1984. The potential of meiotic polyploidization in breeding allogamous crops. *Iowa St. J. Res.* 58:435-448. (Q1.I641)'
- Hesse CO. 1971. Monoploid peaches, *Prunus persica* Batch: Description and meiotic analysis. *J* 96: 326-330. *J. American Society for Horticultural Science*, 96(3): 326-330.
- Hutton EM & JW Peak. 1954. The effect of autotetraploidy in five varieties of subterraneum clover (*Trifolium subterranean* L.). *Australian J. Agric. Res.* 5:356-364.
- Mendiburu, A.O. and S.J. Peloquin. 1979. Gene-centromere mapping by 4x-2x matings in potatoes. *Theor. Appl. Genet.* 54:177-180. (SB123.Z8)

- Mendiburu AO & SJ Peloquin. 1977. The significance of 2N gametes in potato breeding. TAG 49: 53-61. doi: 10.1007/BF00275164
- Mok, D.W.S. and S.J. Peloquin. 1975. The inheritance of three mechanisms of diploid (2n pollen) formation in diploid potatoes. Heredity, 35:295-302. (QH301.H542)
- Peloquin, S.J. 1981. Chromosomal and cytoplasmic manipulations. p. 117-150. In: K.J. Frey (ed.) Plant Breeding II. Iowa State University Press, Ames, IA. (SB123.P56)
- Peloquin, S.J. 1983. Genetic engineering with meiotic mutants. In: Pollen: Biology and Implications for Plant Breeding. D.L. Mulcahy and E. Ottaviano, (ed). Elsevier Science Publishing Co., Inc. Pp. 311-314. (QK658.S95)
- Peloquin, S.J., L.S. Boiteux, and D. Carputo. Meiotic mutants in potato: valuable variants. Genetics 153:1493-1499.
- Rhoades, M.M., and E. Dempsey. 1966. Induction of chromosome doubling at meiosis by the elongate gene in maize. Genetics 54:505-522. (QH301.G328)
- Tavoletti, S., A. Mariani, and F. Veronesi. 1991. Phenotypic recurrent selection for 2n pollen and 2n egg production in diploid alfalfa. Euphytica 57:97-102. (SB123.E89)
- Taylor NL, MK Anderson, KH Quesenberry & L Watson. 1976. Doubling the chromosome number of Trifolium species using nitrous oxide. Crop Sci. 16: 516-518.
- Werner, J.E. and S.J. Peloquin. 1990. Inheritance and two mechanisms of 2n egg formation in 2x potatoes. J. Hered. 81:371-374. (S494.J861)
- Werner, J.E. and S.J. Peloquin. 1991. Occurrence and mechanisms of 2n egg formation in 2x potato. Genome 34:975-982. (QH431.C21)
- Yerk, G.L., and S.J. Peloquin. 1988. 2n Pollen in eleven 2x, 2EBN wild species and their haploid × wild species hybrids. Potato Res. 31:581-589. (SB211.P8E8)
- Xie L, L-z Ke, X-q Lu, J Chen & Z-s Z. 2022. Exploiting unreduced gametes for improving ornamental plants. Frontiers in Plant Science, 13: 883470.  
[/doi.org/10.3389/fpls.2022.883470](https://doi.org/10.3389/fpls.2022.883470)

### Apomixis

- Akiyama, Y., J.A. Conner, S. Goel, D.T. Morishige, J.E. Mullet, W.W. Hanna, and P. Ozias-Akins. 2004. High-resolution map physical mapping in *Pennisetum squamulatum* reveals extensive chromosomal heteromorphism of the genomic region associated with apomixis. Plant Physiol. 134:1733-1741.
- Akiyama Y, S Goel, JA Conner, WW Hanna, H Yamada-Akiyama and P Ozias-Akins. 2011. Evolution of the apomixis transmitting chromosome in *Pennisetum*. BMC Evolutionary Biology 11:289.
- Bashaw, E.C. 1975. Problems and possibilities of apomixis in the improvement of tropical forage grasses. p. 23-30. In: E.C. Doll, and G.O. Mott (ed.) Tropical Forages in Livestock Production Systems. American Society of Agronomy, Crop Science Society of America, Soil Science Society of America, Madison, Wisconsin. (S1.A56 no. 24)
- Bashaw, E.C. 1980. Apomixis and its application in crop improvement. p. 45-63. In: W.R.

- Fehr, and H.H. Hadley (ed.) Hybridization of Crop Plants. American Society of Agronomy and Crop Science Society of America, Publishers, Madison, Wisconsin. (SB123.H9)
- Carneiro VTC, DMA Dusi and JPA Ortiz. 2006. Apomixis: Occurrence, applications and improvements. *Floriculture, Ornamental and Plant Biotechnology*, 1:564-571.
- Chaudhury, A.M., S. Craig, E.S. Dennis, and W.J. Peacock. 1998. Ovule and embryo development, apomixis and fertilization. *Curr. Op. Plant Biol.* 1:26-31.
- Conner JA, M Mookkan, HQ Huo, K Chae, and P Ozias-Akins. 2015. A parthenogenesis gene of apomict origin elicits embryo formation from unfertilized eggs in a sexual plant. *PNAS* 112:11205-11210.
- D'Erfurth I, S Jolivet, N Frogier, O Catrice, M Novatchkova & R Mercier. Turning meiosis to mitosis. *PLOS Biology* 7: 31000124
- Dujardin, M. and W.W. Hanna. 1989. Developing apomictic pearl millet - characterization of a BC<sub>3</sub> plant. *J. Genet. & Breed.* 43:145-151. (N/A)
- Fayos I, D Mieulet, J Petit, AC Meunier, C Perin, A Nicholas & E Guiderni. 2019. Engineering meiotic pathways in rice.
- Goel, S., Z. Chen, J.A. Conner, Y. Akiyama, W.W. Hanna, and P. Ozias-Akins. 2003. Delineation by fluorescence *in situ* hybridization of a single hemizygous chromosomal region associated with aposporous embryo sac formation in *Pennisetum squamulatum* and *Centrus ciliaris*. *Genetics* 163:1069-1082.
- Grimanelli, D., O. Leblanc, E. Espinosa, E. Perotti, D.G. De Leon, and Y. Savidan. 1998. Mapping diplosporous apomixis in tetraploid *Tripsacum*: One gene or several genes? *Heredity* 80:33-39. (QH301.H542)
- Grossniklaus, U., and P.J. van Dijk. 2001. How to avoid sex: The genetic control of apomixis. *Plant Cell* 13:1491-1496.
- Hanna, W.W. 1987. Apomixis in plant improvement. p. 75-83. In: *Plant Gene Systems and their Biology*. J.L. Key and L. McIntosh (ed). Alan R. Liss, Inc., New York. (QK981.C53)
- Hörndl E and D Hojsgaard. 2012. The evolution of apomixis in angiosperms: A reappraisal. *Plant Biosystems* 146: 681-693.
- Khanday I, D Kinner, B Yang, R Mercier and V Sundaresan. 2019. A male-expressed rice embryogenic trigger redirected for asexual propagation through seed. *Nature* 595: 91-95.
- Koltunow, A.M., S.D. Johnson, and T. Okada. 1995. Apomixis in hawkeed: Mendel's experimental nemesis. *J. Expt. Bot.* 62:1699-1707.
- Labombarda, P., A. Busti, M.E. Caceres, F. Pupilli, and S. Arcioni. 2002. An AFLP marker tightly linked to apomixis reveals hemizygosity in a portion of the apomixis-controlling locus in *Paspalum simplex*. *Genome* 45:513-519.
- Matzk F, A Meister & I Schubert. 2001. An efficient screen for reproductive pathways using mature seeds of monocots and dicots. *The Plant Journal*, 21(1): 97-108.
- Mieulet D, S Jolivet, M Rivard, L Cromer, A Vernet, P Mayonove, L Pereira, G Droc, B Courtois, E Guideroni, and R Merceir. 2016. Turning rice meiosis into mitosis. *Cell*

### Research 1-13

- Ozias-Akins, P., D. Roche, and W.W. Hanna. 1998. Tight clustering and hemizygosity of apomixis-linked molecular markers in *Pennisetum squamulatum* genetic control of apospory by a divergent locus that may have no allelic form in sexual genotypes. Proc. Natl. Acad. Sci. USA 95:5127-5132.
- Ozias-Akins, P. and P.J. van Dijk. 2007. Mendelian genetics of apomicts. Annu. Rev. Genet. 41:509-537.
- Nogler GA. 2006. The lesser known Mendel: his experiments on *Hieracium*. Genetics 172:1-6.
- Richards, A.J. 2003. Apomixis in flowering plants: an overview. Phil. Trans. R. Soc. Lond. B. 358:1085-1093.
- Stebbins, G.L. 1950. Apomixis in relation to variation and evolution. p. 380-419. In: Variation and Evolution in Plants. Columbia University Press, New York.  
(QK980.S811v)
- van Dijk, P.J. and J.M.T. Bakx-Schotman. 2004. Formation of unreduced megasporangia (diplospory) in apomictic dandelions (*Taraxacum officinale*, s.l.) is controlled by a sex-specific dominant locus. Genetics 166:483-492.
- van Dijk, P.J. and T.H.N. Ellis. 2016. The full breadth of Mendel's genetics. Genetics 204:1327-1336.
- van Dijk, P.J., F.J. Weissing, and T.H.N. Ellis. 2018. How Mendel's interest in inheritance grew out of plant improvement. Genetics. 210:347-355
- van Dijk, P.J., A.P. Jessop, and T.H. Noel Ellis. 2022. How did Mendel arrive at his discoveries? Nature Genetics, 54: 926-933. <https://doi.org/10.1038/s41588-022-01109-9>
- Vernet A, D Meynard, Q Lian, D Mieulet, O Gibert, M Bissah, R Rivallan, D Autran, O Leblanc, AC Meunier, J Frouin, J Taillebois, K Shankle, I Khanday, R Mercier, V Sundaresan, E Guiderdoni. 2020. High-frequency synthetic apomixis in hybrid rice. Nature Communications, 13: 7963 <https://doi.org/10.1038/s41467-022-35679-3>
- Vyskot, B. and J. Siroky. 2022. Bicentennial of Gregor Johann Mendel's birth: Mendel's work still addresses geneticists in 2022. Frontiers in Plant Science, <https://doi.org/10.3389/fpls.2022.969745>
- Young, B.A., R.T. Sherwood and E.C. Bashaw. 1978. Cleared-pistil and thick-sectioning techniques for detecting aposporous apomixis in grasses. Can. J. Bot. 57:1668-1672.

### Gene drives

- Bauer H., Schindler S., Charron Y., Willert J., Kusecek B., and Herrmann B.G. 2012. The nucleoside diphosphate kinase gene *Nme3* Acts as quantitative trait locus promoting non-Mendelian inheritance. PLoS Genet 8(3): e1002567.

- Buchman A., Marshall J.A., Ostrovski D., Yang T., and Akbari O.S. 2018. Synthetically engineered *Medea* gene drive system in the worldwide crop pest *Drosophila suzukii*. Proc. Natl. Acad. Sci. U.S.A. 115(18): 4725-4730.
- Buckler E.S., Phelps-Durr T.L., Buckler C.S.K., Dawe R.K., Doebley J.F., and Holtsford T.P. 1999. Meiotic drive of chromosomal knobs reshaped the maize genome. Genetics. 153(1):415-426.
- Burt A. and Trivers R. 2006. Genes in conflict: the biology of selfish genetic elements. Harvard University Press.
- Dawe R.K., Lowry E.G., Gent J.I., Stitzer M.C., Swentowsky K.W., Higgins D.M., Ross-Ibarra J., Wallace J.G., Kanizay L.B., Alabady M., Qiu W., Tseng K-F., Wang N., Gao Z., Birchler J.A., Harkess A.E., Hodges A.L., Hiatt E.N. 2018. A kinesin-14 motor activates neocentromeres to promote meiotic drive in maize. Cell. 173: 839-850.
- Champer J, R Reeves, SY Oh, C Liu, J Liu, AG Clark, PW Messer. 2017. Novel CRISPR/Cas9 gene drive constructs reveal insights into mechanisms of resistance allele formation and drive efficiency in genetically diverse populations. PLOS Genetics 13(7): e1006796 <https://doi.org/10.1371/journal.pgen.1006796>
- Courret C., Gerard P.R., Ogereau D., Falque M., Moreau L., and Montchamp-Moreau C. 2018. X-chromosome meiotic drive in *Drosophila simulans*: a QTL approach reveals the complex polygenic determinism of Paris drive suppression. Heredity (Edinb). Epub ahead of print (doi: 10.1038/s41437-018-0163-1)
- Guerra M, G Cabral, M Cuacos, M González-García, M González-Sánchez, J Vega, & MJ Puertas. 2010. Neocentrics and holokinetics (holocentrics): Chromosomes out of the centromeric rules. Cytogenet Genome Res 129: 82–96
- Higgins D.M., Lowry E.G., Kanizay L.B., Becraft P.W., Hall D.W., and Dawe R.K. Fitness costs and variation in transmission distortion associated with the abnormal chromosome 10 meiotic drive system in maize. Genetics. 208(1): 297-305.
- Kanizay L.B., Albert P.S., Birchler J.A., and Dawe R.K. 2013. Intrageneric conflict between the two major knob repeats of maize. Genetics. 194(1): 81-89.
- Kanizay L.B., Pyhajarvi T., Lowry E.G., Hufford M.B., Peterson D.G., Ross-Ibarra J., and Dawe R.K. 2013. Diversity and abundance of the abnormal chromosome 10 meiotic drive complex in *Zea mays*. Heredity (Edinb). 110(6): 570-577.
- Kyrou K, AM Hammond, R Galizi, N Kranjc, A Burt, AK Beaghton, T Nolan & A Crisanti. 2018. A CRISPR-Cas9 gene drive targeting *doublesex* causes complete population suppression in caged *Anopheles gambiae* mosquitoes. Nature Biotechnology 36: 1062–1066.
- Longley A.E. 1938. Chromosomes of maize from North American Indians. J of Agricultural Res. 56(3): 177-195.
- Noble C., Adlam B., Church G.M., Esvelt K.M., and Nowak M.A. Current CRISPR gene drive systems are likely to be highly invasive in wild populations. eLife. 7: e33423.

- Oberhofer G, ML Johnson, T Ivy, I Anotschkin & BA Hay. 2024. *Cleave and Rescue* gamete killers create conditions for gene drive in plants. *Nature Plants*, 10: 936–953, doi.org/10.1038/s41477-024-01701-3
- Price TAR, R Verspoor & N Wedell. 2019. Ancient gene drives: an evolutionary paradox. *Proc. of the Royal Society B*, 286: 20192267
- Rhoades M.M. 1942. Preferential segregation in maize. *Genetics*. 27(4): 395-407.
- Rhoades M.M. and Dempsey E. 1957. Further studies on preferential segregation. *Maize Newsletter*: 77-80.
- Rhoades M.M. and Vilkomerson H. 1942. On the anaphase movement of chromosomes. *Proc. Natl. Acad. Sci. U.S.A.* 28(10):433-436.
- Rhoades, M.M., and E. Dempsey. 1966. The effect of abnormal chromosome 10 on preferential segregation and crossing-over in maize. *Genetics* 53:989-1020.
- Yu, H.-G., E.A. Hiatt, A. Chan, M. Sweeney, and R.K. Dawe. 1997. Neocentromere-mediated chromosome movement in maize. *J. Cell Biol.* 139:831-840. (QH573.J8)

### Holocentric chromosomes/inverted meiosis

- Bogdanov YF. 2016. Inverted meiosis and its place in the evolution of sexual reproduction pathways. *Russian J of Genetics* 53: 473-490
- Cabral G, A Marques, V Schubert, A Pedrosa-Harande & P Schlöglhofer. 2014. Chiasmatic and achiasmatic inverted meiosis of plants with holocentric chromosomes. *Nature Communications* 5: 5070
- Guerra M, G Cabral, M Cuacos, M González-García, M González-Sánchez, J Vega, & MJ Puertas. 2010. Neocentrics and holokinetics (holocentrics): Chromosomes out of the centromeric rules. *Cytogenet Genome Res* 129: 82–96
- Melters DP, LV Paliulis, IF Korf & S WL Chan. 2012. Holocentric chromosomes: convergent evolution, meiotic adaptations, and genomic analysis. *Chromosome Research* 20: 579-593
- Mola LM & AG Papeschi. 2006. Holokinetic chromosomes at a glance. *BAG - Journal of Basic and Applied Genetics*. 17(1):17-33
- Pazy, B. and U. Plitmann. 1991. Unusual chromosome separation in meiosis of *Cuscuta* L. *Genome* 34:533-536. (QH431.C21)
- Wrensch, D.L., J.B.X. Kethley, and R.A. Norton. 1994. Cytogenetics of holokinetic chromosomes and inverted meiosis: Keys to the evolutionary success of mites, with generalizations on eukaryotes. p. 282-343. In: M.A. Houck (ed.) *Mites: Ecological and Evolutionary Analyses of Life-History Patterns*. Chapman & Hall, New York.

### Miscellaneous

- Groß-Hardt R, & T Laux. 2003. Organization of the *Arabidopsis* shoot meristem. *J Cell Sci.* 116:1659-1666
- Gustafsson A. 1944. The constitution of the *Rosa canina* complex. *Hereditas*, 30:405-428.
- Lanfear R. 2018. Do plants have a segregated germline? *PLoS Biol* 16(5): e2005439.

<https://doi.org/10.1371/journal.pbio.2005439>

Schmid-Siegert E, N Sarkar, C Iseli, S Calderon, C Gouhier-Darimont, J Chrast, P Cattaneo, F Schütz, L Farinelli, M Pagni, M Schneider, J Voumard, M Jaboyedoff, C Fankhauser, CS Hardtke, L Keller, JR Pannell, A Reymond, M Robinson-Rechavi, I Xenarios & P Reymond. 2017. Low number of fixed somatic mutations in a long-lived oak tree. *Nature Plants*, 3: 926–929. <https://doi.org/10.1038/s41477-017-0066-9>.

Wang L, Y Ji, Y Hu, H Hu, X Jia, M Jiang, Z Zhang, L Zhao, Y Zhang, Y Jia, C Qin, L Yu, J Huang, S Yang, LD Hurst, D Tian. 2019. The architecture of intra-organism mutation rate variation in plants. *PLOS Biology*, <https://doi.org/10.1371/journal.pbio.3000191>